

Index and Notation

- action of a Lie* algebra on a commutative¹ algebra 1.4.9
- action of a Lie* algebra on a chiral algebra 3.3.3
- action of a Lie algebroid on a chiral algebra 4.5.4, twisted 4.5.6
- action of a pseudo-tensor category on a category 1.2.11
- action of a tensor category on a pseudo-tensor category 1.1.6(v)
- admissible complex of sheaves on X^S 4.2.1
- admissible \mathcal{D} -complex on X^S 4.2.6
- algebraic \mathcal{D}_X -space 2.3.1
- annihilator 3.3.7
- augmentation functor, non-degenerate 1.2.5, reliable 1.4.7
- augmentation functor in compound setting 1.3.10, in \mathcal{D} -module setting 2.2.7
- augmented compound tensor category, functor 1.3.16
- augmented operad 1.2.4
- augmented pseudo-tensor category 1.2.4
- augmented pseudo-tensor functor, unit 1.2.8

- Batalin-Vilkovisky (BV) algebras 4.1.6
- BV extension of a Lie algebroid 4.1.9
- BV quantization of an odd Poisson algebra 4.1.6
- BV structure on the chiral chain complex 4.3.1
- BRST reduction, charge, differential: classical 1.4.23, quantum 3.8.9, 3.8.20
- BRST property 1.4.24, 3.8.10, 3.8.21

- calculus of variations 2.3.20
- cdo 3.9.5
- centralizer 3.3.7
- center of a chiral algebra 3.3.7
- central chiral modules 3.3.7
- Chern classes $ch_n^{\mathcal{D}}$ 2.8.10
- Chevalley-Cousin complex of a chiral algebra 3.4.11, relative version 4.4.9
- Chevalley complex of a Lie* algebra, inner 1.4.5, 1.4.10
- chiral action of a Lie* algebra 3.7.16, of a chiral Lie algebroid 3.9.24
- chiral action of a chiral monoid 3.10.17
- chiral algebras 3.3.3, commutative 3.3.3, non-unital 3.3.2, universal 3.3.14
- chiral algebra freely generated by (N, P) 3.4.14,
- chiral $R_{\mathcal{D}if}$ -algebras 3.9.4
- chiral enveloping algebra of a Lie* algebra 3.7.1, of a chiral Lie algebroid 3.9.11
- chiral extension of a Lie* algebroid 3.9.6, rigidified 3.9.8
- chiral homology 4.2.11
- chiral lattice algebras 3.10.1

- chiral Lie algebroids 3.9.6
- chiral modules 3.3.4
- chiral L -modules 3.7.16
- chiral $R_{\mathcal{D}if}$ -modules 3.9.1
- chiral monoid 3.10.17
- chiral operations 3.1.1, for (\mathfrak{g}, K) -modules 3.1.16
- chiral A -operations 3.3.4
- chiral L^{ch} -operations 3.7.16
- chiral product 3.3.2
- chiral pseudo-tensor structure 3.1.2
- Clifford algebra, coisson 1.4.21, chiral 3.8.6, linear algebra version 3.8.17
- coisson algebras 1.4.18, modules 1.4.20, \mathcal{D} -module setting 2.6.1, elliptic 2.6.6
- commutative¹ algebras, modules 1.4.6
- commutative \mathcal{D}_X -algebras 2.3.1
- complementary quotients 1.3.1
- compound operad 1.3.18
- compound pseudo-tensor category 1.3.7, augmented 1.3.10
- compound pseudo-tensor functor 1.3.9
- compound tensor category, functor 1.3.14
- compound tensor product maps 1.3.12, binary 1.3.13
- connections for Lie^* algebroids 1.4.17
- connections on chiral homology 4.5
- Contou-Carrère symbol 3.10.13
- convenient \mathcal{D}_X -algebra 4.6.1
- convenient R^ℓ -modules 4.6.3
- coordinate system on a \mathcal{D}_X -scheme 2.3.17
- c operations 1.4.27, in \mathcal{D} -module setting 3.2.5
- correlators 4.4.1
- cotangent complex 2.3.15, 4.1.5, 4.6.6
- cotorsor 3.4.16, 3.10.12
- Cousin \mathcal{D} -complex 4.2.9
- Cousin filtration 4.2.1, 4.2.19
- Cousin spectral sequence 4.2.3, 4.2.11, 4.2.19
- c -stack, c -rank 2.9.10

- \mathcal{D}_X -algebras 2.3.1
- \mathcal{D} -algebra point 2.3.1
- \mathcal{D} -modules: left and right 2.1.1, functoriality 2.1.2, induced 2.1.8
- \mathcal{D} -modules: quasi-induced 2.1.11, maximal constant quotient 2.1.12
- \mathcal{D} -modules: topology at a point x 2.1.13, universal 2.9.9
- \mathcal{D} -modules on $\mathcal{R}(X)$, left 3.4.2
- \mathcal{D} -modules on X^S , right 3.4.10
- de Rham-Chevalley complex of a Lie^* algebroid, inner 1.4.14
- de Rham complex of a \mathcal{D} -module 2.1.7
- de Rham homology 2.1.12, cohomology 2.1.7
- \mathcal{D}_X -scheme 2.3.1, formally smooth, smooth, very smooth 2.3.15
- \mathcal{D}_X -scheme: the global space of horizontal sections 2.4.1
- \mathcal{D}_X -scheme: the local space of horizontal sections 2.4.8
- Dolbeault algebras 4.1.3

- Dolbeault $\mathcal{D}_{\mathcal{R}(X)}$ -algebra 4.2.7
- Dolbeault resolutions 4.1.4
- Dolbeault-style algebra 4.1.4
- Dolbeault-style $\mathcal{D}_{\mathcal{R}(X)}$ -algebra 4.2.16
- duality 1.3.11, 2.2.16
- duality for de Rham cohomology, global 2.2.17, local 2.7.10
- elliptic morphism, Lie* algebroid 2.5.22, coisson algebra 2.6.6
- enveloping algebra of an operadic algebra 1.2.16, of a Lie algebroid 2.9.2
- enveloping BV algebra of a BV algebroid 4.1.8, 4.1.9
- enveloping chiral algebra of a chiral Lie* algebroid 3.9.11
- Euler-Lagrange equations 2.3.20
- factorization algebras 3.4.1, \mathcal{D} -module setting 3.4.4, truncated 3.4.13
- factorization algebras: canonical \mathcal{D} -module structure 3.4.7, commutative 3.4.20
- factorization algebra freely generated by (N, P) 3.4.14
- factorization B -modules 3.4.18
- factorization structure 3.4.4
- filtration on a chiral algebra, commutative, unital 3.3.12
- flabby complex of sheaves 4.2.2
- formal groupoid 1.4.15
- formally smooth/étale morphism of \mathcal{D}_X -schemes 2.3.16
- Fourier-Mukai transform 4.9.9
- (\mathfrak{g}, K) -modules 2.9.7, chiral structure 3.1.16
- (\mathfrak{g}, K) -structure 2.9.8
- Gelfand-Dikii coisson algebra 2.6.8
- Gelfand-Kazhdan structure 2.9.9
- group action on a chiral algebra 3.4.17
- hamiltonian reduction 1.4.19
- handsome complexes of $!$ -sheaves on X^{S} 4.2.2
- Harish-Chandra pair, module 2.9.7
- Heisenberg Lie* algebra 2.5.9
- Heisenberg group 3.10.13
- homotopically \mathcal{O}_X - and \mathcal{D}_X -flat complexes 2.1.1
- homotopy unit commutative algebra 4.1.14
- homotopy unital commutative algebra 4.1.14, BV algebra 4.1.15
- Hopf chiral algebras 3.4.16
- ind-scheme 2.4.1
- induced modules 3.7.15, 3.9.24
- inner Hom, inner P objects 1.2.1, in augmented sense 1.2.7
- jet scheme 2.3.2–2.3.3
- Kac-Moody extension 2.5.9
- Kashiwara's lemma 2.1.3
- Knizhnik-Zamolodchikov (KZ) equations 4.4.6
- lattices, c- and d- 2.7.7
- Lie* algebras and modules 1.4.4, \mathcal{D} -module setting 2.5.3–2.5.4
- Lie algebroid 2.9.1

- Lie* algebroid 1.4.11, \mathcal{D} -module setting 2.5.16, elliptic 2.6.6
- Lie coalgebroid 1.4.14
- matrix * algebra 1.4.2
- middle de Rham cohomology sheaf h 2.1.6
- Miura torsor 2.8.17
- module operads 1.2.11
- modules over operadic algebras 1.2.13
- morphisms of DG \mathcal{D}_X -algebras: semi-free, elementary 4.3.7
- multijet scheme 3.4.21
- mutually commuting morphisms of chiral algebras 3.4.15
- n -coisson algebra 1.4.18
- n -Poisson algebra 1.4.18
- nice complexes of $!$ -sheaves on X^S 4.2.1
- non-degenerate pairs (\mathfrak{F}, ∇^h) 2.5.23
- normally ordered tensor product 3.6.1
- \mathcal{O} -modules on $\mathcal{R}(X)$ 3.4.2
- odd coisson algebra 1.4.18
- odd Poisson algebra 1.4.18
- ope algebra, associative, commutative 3.5.9
- oper 2.6.8
- operad 1.1.4, of Jacobi type 3.7.1
- operadic algebra 1.1.6(iii), augmented 1.2.8
- operator product expansion 3.5.8
- perfect BV algebra 4.1.18
- perfect commutative DG algebra 4.1.17
- perfect complexes 4.1.16
- Poincaré-Birkhoff-Witt theorem for Lie* algebras 3.7.14, twisted case 3.7.20
- PBW theorem for usual Lie algebroids 2.9.2, 3.9.12
- PBW theorem for chiral Lie algebroids 3.9.11
- polydifferential * operations 1.4.8, \mathcal{D} -module setting 2.3.12
- pre-factorization algebra 3.4.14
- projective connections 2.5.10
- pseudo-tensor category 1.1.1
- pseudo-tensor category: \mathcal{A} -, k -, additive, abelian 1.1.7
- pseudo-tensor functors, adjointness 1.1.5
- pseudo-tensor k -category 1.1.7
- pseudo-tensor product 1.1.3
- pseudo-tensor structure 1.1.2
- pseudo-tensor subcategory, full 1.1.6(i)
- quantization of a coisson algebra 3.3.11, mod t^2 3.9.10
- quasi-factorization algebra 3.4.14
- Ran's space 3.4.1
- reasonable topological algebra 2.4.8
- representable pseudo-tensor structure 1.1.3
- resolutions of commutative \mathcal{D}_X -algebras 4.3.7
- rigidification of a Lie* algebroid 1.4.13, of a Lie algebroid 2.9.1

rigidified B -extension 3.9.8
 \mathcal{A} -structure 1.2.11
 * algebras 1.4.1, \mathcal{D} -module setting 2.5.1
 * pairing, non-degenerate 1.4.2
 * operations for \mathcal{D} -modules 2.2.3, induced case 2.2.4(i)
 Schouten-Nijenhuis bracket 1.4.18
 semi-free \mathcal{D}_X -algebras 4.3.7, 4.6.1
 semi-free modules 4.1.5, 4.6.3
 smooth \mathcal{D}_X -algebras 2.3.15
 special $\mathcal{D}_{X'}$ -module 3.1.6
 stress-energy tensor 3.7.25
 Sugawara's construction 3.7.25
 super complex 1.1.16
 super conventions 1.1.16

 I -topology 2.1.17
 Ξ -topologies: Ξ_x - 2.1.13, Ξ_x^{Lie} 2.5.12, Ξ_x^{RL} 2.5.18, Ξ_x^{sp} 2.7.11
 Ξ -topologies: Ξ_x^{cois} 2.6.3, Ξ_x^{as} 3.6.4
 tangent Lie* algebroid 1.4.16, for a \mathcal{D} -scheme: Remark (ii) in 2.3.12, 2.3.15
 Tate extension: \mathcal{D} -module setting 2.7.2, 2.7.3, on a \mathcal{D}_X -scheme 2.7.6
 Tate extension: linear algebra setting 2.7.8, chiral approach 3.8.5
 Tate extension of a Lie* algebra 2.8.15, 3.8.7
 Tate structure on a vector \mathcal{D} -bundle 2.8.1
 Tate vector space, compact, discrete 2.7.7
 tensor product of chiral algebras 3.4.15
 tensor product of pseudo-tensor categories 1.1.9
 topological associative algebra 3.6.1
 topological commutative algebra 2.4.1
 topological Lie algebroid 2.5.18
 transversal quotients 1.3.1
 twists of chiral algebras 3.4.17

 unit object in a compound tensor category 1.3.16, strong 1.3.17

 vector \mathcal{D} -bundles 2.1.5, on a \mathcal{D}_X -scheme 2.3.10
 vector \mathcal{D}_X -scheme 2.3.19
 vertex operator 3.5.14
 very smooth \mathcal{D}_X -algebras 2.3.15
 Virasoro extension 2.5.10
 Virasoro vector 3.7.25

 W -algebras 3.8.16
 Weyl algebra, chiral and coisson 3.8.1, linear algebra version 3.8.17
 Wick algebra 3.6.11, global 3.6.20

 θ -datum 3.10.3

Notation

$\langle A \rangle$ 2.4.1, 4.2.16
 A_x^{as} 2.4.8, 3.6.2, 3.6.4, 3.6.13

A^{as} 3.6.14
 A^{Lie} 3.3.3
 $A(P)$ 3.4.17
 A_x^w 3.6.11
 $A^w(X)$ 3.6.20
 $B(M)$ 3.4.18
 $\mathcal{BV}, \mathcal{BV}_u, \overline{\mathcal{BV}}$ 4.1.6
 $C(A)$ 3.4.11
 $C(B, A)$ 4.4.9
 $C^{ch}(X, A)$ 4.2.11
 $\tilde{C}^{ch}(X, A)_{\mathcal{Q}}, C^{ch}(X, A)_{\mathcal{PQ}}$ 4.2.12
 $C^{ch}(X, A, \{M_s\}), C^{ch}(X, A, \{M_s\})_{\mathcal{PQ}}, \mathcal{C}^{ch}(X, A, \{M_s\})_{\mathcal{PQ}}$ 4.2.19
 $\mathcal{C}^{ch}(X, A, M)_{\mathcal{PQ}}, \mathcal{C}^{ch}(X, A, M_I)_{\mathcal{PQ}}$ 4.2.19
 $C^{ch}(X, B, A)_{\mathcal{PQ}}$ 4.4.9
 $\mathcal{CA}(X)$ 3.3.3
 $\mathcal{CA}(X)^F$ 3.4.16
 $\mathcal{C}_R^\ell(\mathcal{L}, \cdot), \mathcal{C}_R^r(\mathcal{L}, \cdot), \mathcal{C}_R(\mathcal{L})$ 2.9.1 $\mathcal{C}^{pois}(R)$ 2.9.1
 $\mathcal{CM}(\mathcal{R}(X))$ 4.2.6
 $\mathcal{C}^{cois}(R)$ 1.4.18
 \mathcal{Comu} 1.4.6, 4.1.6
 $\mathcal{Comu}_{\mathcal{D}}(X)$ 2.3.1
 $\Delta_*^{(S)}$ 3.4.10
 \mathcal{D}_{DR} 3.9.18
 $DM(\mathcal{R}(X))$ 4.2.6
 $\mathcal{E}nd^*(V)$ 2.2.15, 2.5.6(a)
 $\mathcal{E}xp(X)$ 3.4.1
 $\mathfrak{gl}(V)$ 2.5.6(a)
 $\mathfrak{gl}(V)^b$ 2.7.4, 2.7.8
 $H^{ch}(X, A)$ 4.2.11
 $H_{DR}^-(X, M)$ 2.1.7
 $H^{DR}(X, M)$ 2.1.12
 $\mathcal{H}o\mathcal{C}$ 4.1.7
 $\mathcal{J}Z$ 2.3.2
 L_{\dagger} 1.1.16
 L^{\diamond} 1.4.16, 2.9.1
 M^ℓ, N^r 2.1.1
 M_{const} 2.1.12
 M_X 2.8.17
 $\mathcal{M}^r(X), \mathcal{M}^\ell(X), \mathcal{M}(X)$ 2.1.1
 $\mathcal{M}(X)^{*!}$ 2.2.6
 $\mathcal{M}(X)^{ch}$ 3.1.2,
 $\mathcal{M}(X)^{cl}$ 3.2.5
 $\mathcal{M}(X, R^\ell)$ 2.3.5
 $\mathcal{M}(X, A), \mathcal{M}(X, A)^{ch}$ 3.3.4
 $\mathcal{M}(X^S)$ 3.4.10
 $\mathcal{M}^\ell(\mathcal{R}(X))$ 3.4.2
 O_I 3.5.8
 $\mathcal{P}^{ch}(A, L)$ 3.9.6

$\mathcal{P}^{ch}(\mathcal{L})$ 3.9.6
 $\mathcal{P}^{cl}(\mathcal{L})$ 2.8.2
 $\mathcal{P}(F)$ 3.4.16
 $Q(I)$ 1.3.1
 $Q(I, m)$ 1.4.27
 $\mathcal{R}(X)$ 3.4.1
 \S 1.1.1
 $\hat{\S}$ 1.2.4
 $Sch_{\mathbb{D}}(X)$ 2.3.1
 $\text{Spec}(R, \mathcal{L})$ 2.5.18
 $\text{Spf} Q$ 2.4.1
 $\mathcal{T}ate(V), \mathcal{T}ate(\mathcal{Y})$ 2.8.1
 $U^{(I)}$ 3.1.1
 $U^{[J/I]}$ 3.4.4
 $U(L)$ 3.7.1
 $\mathcal{V}(a)$ 3.6.14
 $Z(A)$ 3.3.7
 λ_I 2.2.2, 3.1.4
 \otimes^*, \otimes^{ch} 3.4.10
 $\vec{\otimes}$ 3.6.1
 Ξ_x^{as} 2.4.8, 3.6.4
 Ξ_x 2.1.13
 Ξ_x^{Lie} 2.5.12
 Ξ_x^R 2.4.11
 $\Xi_x^{R\mathcal{L}}$ 2.5.19
 $1^{ch} = 1_A^{ch}$ 4.2.16.